

MOBILE DIESEL FUEL TRAILER

MOD: CIDMA 2000



MOBILE DIESEL FUEL TRAILER: CIDMA2000

TRAILER DESCRIPTION

This equipment consist of a diesel fuel tank integrated into a trailer structure, which allows to solve the needs of supply logistics as well as fuel diesel conservation, both in the best conditions and just with an easy handling, load and unload.

The trailer is a lightweight unit made of stainless steel so it can be towed by any kind of truck or lightweight vehicle.

TRAILER TECHNICAL DATA

DESIGNATION	TECHNICAL CHARACTERISTICS
Total weight	3080 Kg
Empty weight	ca. 1000 Kg
Overall length	4050 mm
Overall width	2020 mm
Overall height	2200 mm
Detachment between wheels	ca. 1500 mm
Ground clearance	48 cm
Colour	Sand or military green colour



EQUIPMENT

DESIGNATION	TECHNICAL CHARACTERISTICS
Tank payload	1900 lt.
Tank material	Stainless Steel (AISI 430)
Lunette eye	Adjustable height (910 mm–1020 mm)
Standard	OTAN
Electric installation and eyebolt	Standard OTAN
Manhole	c.a. Ø500 mm
Adaptation	Prepared for flooded area
Internal device	To reduce fuel movement during transportation
Approach angle	ca. 37°
Exit angle	ca. 40°
Degagement	ca. 350 mm
Chassis	Heavy-duty chassis
Jockey wheel	Retractable and adjustable wheeled landing leg
Brakes	Manual brakes
Lighting	Fully equipped
Electrical system	12 volt system with sae j560 7 Pins connector
Flow rate	Min. 10 lit/min - Max. 80lt/min
Diesel engine	5HP rope starter
Tool box	Lockable equipment storage compartment

